



WISE MECHANIC

Wet and Dry Vacuum MWW307 20L-35L



Description of vacuum portable wet dry cleaner MWW307 20L-35L

Compared with household vacuum cleaners, our wet dry cleaners are used to suck liquids, dry materials, and damp materials. Auto cleaner for dry or wet is suitable for 1200W, 1400W, or 1600W, and tank volume is 20L, 25L, 30L, or 35L. And suction power will be cut off by float switch automatically when the maximum level is reached. You can choose power tool socket according to your needs.

Features of vacuum portable wet dry cleaner MWW307 20L-35L

1. Stainless steel tank volume: 20L/25/30/35L
2. 2 castors and 2pcs Φ 125mm rear wheels for smooth-running
3. Carry handle and cable holder
4. Auto cleaner for dry or wet has one blow connector.
5. Mounted accessories can save space.
6. 3pcs plastic suction pipes
7. The vacuum portable wet dry cleaner has 1 suction hose with Φ 35 mm.
8. 1 Combination nozzle for vacuuming solids and liquids over medium to large areas

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.

Post: 215143

Tel: +86-512-66511292

Fax: +86-512-66511298



WISE MECHANIC

- 9. 1 Crevice nozzle specially designed for cleaning services and edges
- 10.1 paper bag for vacuuming up fine dust
- 11.1 foam filter for wet vacuuming
- 12. Push & Clean button
- 13. Water drain screw for easy tank emptying

Technical data of vacuum cleaner MWW307 20L-35L without power tool socket

Model of vacuum portable wet dry cleaner	MWW307 -20L-1200W MWW307-20L-1400WA MWW307-20L-1400WB MWW307-20L-1600W	MWW307 -25L-1200W MWW307 -25L-1400WA MWW307 -25L-1400WB MWW307-25L-1600W	MWW307 -30L-1200W MWW307 -30L-1400WA MWW307 -30L-1400WB MWW307-30L-1600W	MWW307 -35L-1200W MWW307 -35L-1400WA MWW307 -35L-1400WB MWW307-35L-1600W
Specification of auto cleaner for dry or wet	MWW307 -20L-1200W MWW307-20L-1400WA Motor: 1200W/1400W MWW307-20L-1400WB MWW307-20L-1600W Motor:1400W/1600W Mains:100-240V~50/60 Hz Vacuity: $\geq 18\text{KPa}$ Suction hose diameter: 35mm Suction hose length: 1.5m	MWW307 -25L-1200W MWW307 -25L-1400WA Motor: 1200W/1400W MWW307 -25L-1400WB MWW307-25L-1600W Motor:1400W/1600W Mains:100-240V~50/60Hz Vacuity: $\geq 18\text{KPa}$ Suction hose diameter:35 mm Suction hose length:1.5 m Tank volume:25L Material: stainless steel	MWW307 -30L-1200W MWW307 -30L-1400WA Motor: 1200W/1400W MWW307 -30L-1400WB MWW307-30L-1600W Motor:1400W/1600W Mains: 100-240V~50/60Hz Vacuity: $\geq 18\text{KPa}$ Suction hose diameter:35mm Suction hose length: 1.5 m Tank volume:30L Material: stainless steel	MWW307 -35L-1200W MWW307 -35L-1400WA Motor: 1200W/1400W MWW307 -35L-1400WB MWW307-35L-1600W Motor:1400W/1600W Mains:100-240V~50/60Hz Vacuity: $\geq 18\text{KPa}$ Suction hose diameter: 35 mm Suction hose length: 1.5 m Tank volume:35L Material: stainless steel

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.
 Post: 215143
 Tel: +86-512-66511292
 Fax: +86-512-66511298



WISE MECHANIC

	Tank volume:20L Material: stainless steel Thickness:0.4mm Power cord length:4m	Thickness:0.4mm Power cord length:4m	Thickness:0.4mm Power cord length:4m	Thickness:0.4mm Power cord length:4m
Container loading quantity of vacuum portable wet dry cleaner	1pc/Carton Carton size: 375*365*480mm	1pc/Carton Carton size: 375*365*545mm	1pc/Carton Carton size: 375*365*591mm	1pc/Carton Carton size: 375*365*657mm
Container loading quantity of auto cleaner for dry or wet	426pcs/20FCL 888pcs/40FCL 1055pcs/40HQ	389pcs/20FCL 827pcs/40FCL 894pcs/40HQ	359pcs/20FCL 767pcs/40FCL 816pcs/40HQ	318pcs/20FCL 683pcs/40FCL 767pcs/40HQ

Technical data of vacuum cleaner MWW307S 20L-35L with power tool socket

Mode of vacuum portable wet dry cleaner	MWW307S-20L-1200W	MWW307S -25L-1200W	MWW307S -30L-1200W	MWW307S -35L-1200W
	MWW307S-20L-1400WA	MWW307S -25L-1400WA	MWW307S-30L-1400WA	MWW307S -35L-1400WA
	MWW307S-20L-1400WB	MWW307S -25L-1400WB	MWW307S-30L-1400WB	MWW307S -35L-1400WB
	MWW307S-20L-1600W	MWW307S-25L-1600W	MWW307S-30L-1600W	MWW307S-35L-1600W

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.
 Post: 215143
 Tel: +86-512-66511292
 Fax: +86-512-66511298



WISE MECHANIC

Specification of auto cleaner for dry or wet	<p>MWW307S -20L-1200W MWW307S -20L-1400WA Motor: 1200W/1400W MWW307S -20L-1400WB MWW307S-20L-1600W Motor:1400W/1600W Coupler socket max. 2000W Mains:100-240V~50/60Hz Vacuity: \geq18KPa Suction hose diameter: 35mm Suction hose length:1.5m Tank volume:20L Material: stainless steel Thickness:0.4mm Power cord length:4m</p>	<p>MWW307S -25L-1200W MWW307S -25L-1400WA Motor: 1200W/1400W MWW307S -25L-1400WB MWW307S-25L-1600W Motor:1400W/1600W Coupler socket max. 2000W Mains:100-240V~50/60Hz Vacuity: \geq18KPa Suction hose diameter:35 mm Suction hose length:1.5 m Tank volume:25L Material: stainless steel Thickness:0.4mm Power cord length:4m</p>	<p>MWW307S -30L-1200W MWW307S -30L-1400WA Motor: 1200W/1400W MWW307S -30L-1400WB MWW307S-30L-1600W Motor:1400W/1600W Coupler socket max. 2000W Mains:100-240V~50/60Hz Vacuity: \geq18KPa Suction hose diameter:35mm Suction hose length:1.5 m Tank volume:30L Material: stainless steel Thickness:0.4mm Power cord length:4m</p>	<p>MWW307S -35L-1200W MWW307S -35L-1400WA Motor: 1200W/1400W MWW307S -35L-1400WB MWW307S-35L-1600W Motor:1400W/1600W Coupler socket max. 2000W Mains:100-240V~50/60Hz Vacuity: \geq18KPa Suction hose diameter:35 mm Suction hose length:1.5 m Tank volume:35L Material: stainless steel Thickness:0.4mm Power cord length:4m</p>
Container loading quantity of vacuum portable wet dry cleaner	<p>1pc/Carton Carton size: 375*365*480mm</p>	<p>1pc/Carton Carton size: 375*365*545mm</p>	<p>1pc/Carton Carton size: 375*365*591mm</p>	<p>1pc/Carton Carton size: 375*365*657mm</p>
Container loading quantity of auto cleaner for dry or wet	<p>426pcs/20FCL 888pcs/40FCL 1055pcs/40HQ</p>	<p>389pcs/20FCL 827pcs/40FCL 894pcs/40HQ</p>	<p>359pcs/20FCL 767pcs/40FCL 816pcs/40HQ</p>	<p>318pcs/20FCL 683pcs/40FCL 767pcs/40HQ</p>

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.
Post: 215143
Tel: +86-512-66511292
Fax: +86-512-66511298