



WISE MECHANIC

Ash Vacuum MWA301 15L-25L



Description of Ash Vacuum MWA301 15L-25L

Fireplace ash vacuum cleaner is composed of metal mesh filter cage, dacron-type filter, flexible aluminum hose, aluminum wand and metal tank. This tank can vacuum cold ash safely and easily with a volume of 15L, 18L, 20L or 25L.

You can also choose hepa filter, stainless steel and wheeled base according to your needs.

Features of Ash Vacuum MWA301 15L-25L

- 1.As an ash vacuum manufacturer, our company offer Integrated 800W/1000W/1200W compact motor with high suction power.
2. Our powder coating metal tank has quick release clips.
3. You should empty the filter and tank contents when the filling level indicator on ash vacuum shows a red bar.
4. Power cord and accessory storage is on board.
5. You do not need to offer vacuum separately.
6. No use of paper bags.

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.

Post: 215143

Tel: +86-512-66511292

Fax: +86-512-66511298



WISE MECHANIC

Technical data for ash vacuum MWA301 15L-25L (without wheeled base)

Model	MWA301-15L-800W MWA301-15L-1000W MWA301-15L-1200W	MWA301-18L-800W MWA301-18L-1000W MWA301-18L-1200W	MWA301-20L-800W MWA301-20L-1000W MWA301-20L-1200W	MWA301-25L-800W MWA301-25L-1000W MWA301-25L-1200W
Specification	Motor:800W/1000W/1200W Mains:100-240V~50/60Hz Vacuity:≥15KPa for 800W/1000W≥18KPa for 1200W Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 15L Material: Iron Thickness:0.4mm Power cord length:2.5m	Motor:800W/1000W/1200W Mains:100-240V~50/60Hz Vacuity:≥15KPa for 800W/1000W ≥18KPa for 1200W Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 18L Material: Iron Thickness:0.4mm Power cord length:2.5m	Motor:800W/1000W/1200W Mains:100-240V~50/60Hz Vacuity:≥15KPa for 800W/1000W ≥18KPa for 1200W Suction hose diameter:38mm Suction hose length: 1 m Tank volume: 20L Material: Iron Thickness:0.4mm Power cord length:2.5m	Motor:800W/1000W/1200W Mains :100-240V~50/60Hz Vacuity:≥15KPa for 800W/1000W ≥18KPa for 1200W Suction hose diameter:38mm Suction hose length: 1 m Tank volume: 25L Material: Iron Thickness:0.4mm Power cord length:2.5m
Packing information	1pc/carton Carton size:318×318×350mm	1pc/carton Carton size: 318×318×390mm	1pc/carton Carton size: 318×318×415mm	1pc/carton Carton size: 318×318×490mm
Container loading quantity	825pcs/20FCL 1700pcs/40FCL 1930pcs/40HQ	749pcs/20FCL 1548pcs/40FCL 1807pcs/40HQ	713pcs/20FCL 1482pcs/40FCL 1687pcs/40HQ	580pcs/20FCL 1204pcs/40FCL 1372pcs/40HQ

Technical data for cleaner MWA301 15L-25L(with wheeled base)

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.

Post: 215143

Tel: +86-512-66511292

Fax: +86-512-66511298



WISE MECHANIC

Model	MWA301B-15L-800W MWA301B-15L-1000W MWA301B-15L-1200W	MWA301B-18L-800W MWA301B-18L-1000W MWA301B-18L-1200W	MWA301B-20L-800W MWA301B-20L-1000W MWA301B-20L-1200W	MWA301B-25L-800W MWA301B-25L-1000W MWA301B-25L-1200W
Specification	Motor:800W/1000W/1200W Mains:100-240V~50/60Hz Vacuity:≥15KPa for 800W/1000W ≥18KPa for 1200W Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 15L Material: Iron Thickness:0.4mm Power cord length:2.5m	Motor:800W/1000W/1200W Mains:100-240V~50/60Hz Vacuity:≥15KPa for 800W/1000W ≥18KPa for 1200W Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 18L Material: Iron Thickness:0.4mm Power cord length:2.5m	Motor:800W/1000W/1200W Mains:100-240V~50/60Hz Vacuity:≥15KPa for 800W/1000W ≥18KPa for 1200W Suction hose diameter:38mm Suction hose length: 1 m Tank volume: 20L Material: Iron Thickness:0.4mm Power cord length:2.5m	Motor:800W/1000W/1200W Mains:100-240V~50/60Hz Vacuity:≥15KPa for 800W/1000W ≥18KPa for 1200W Suction hose diameter:38mm Suction hose length: 1 m Tank volume: 25L Material: Iron Thickness:0.4mm Power cord length:2.5m
Packing information	1pc/carton Carton size: 320×320×360mm	1pc/carton Carton size: 320×320×403mm	1pc/carton Carton size: 320×320×425mm	1pc/carton Carton size: 320×320×500mm
Container loading quantity	772pcs/20FCL 1662pcs/40FCL 1890pcs/40HQ	712pcs/20FCL 1542pcs/40FCL 1753pcs/40HQ	657pcs/20FCL 1413pcs/40FCL 1602pcs/40HQ	546pcs/20FCL 1162pcs/40FCL 1323pcs/40HQ

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.
Post: 215143
Tel: +86-512-66511292
Fax: +86-512-66511298