



# WISE MECHANIC

## Ash Vacuum MWA302 15L-25L



### Features

1. High suction power with integrated 700W/800W compact motor.
2. Our handle ash vacuum will stop operation automatically if something wrong happened to filter system.
3. Our metal container has quick release clips.
4. Large lid with handle and filter cleaning indicator
5. On-Board power cord and accessory storage
6. No separate vacuum necessary
7. Our handle ash vacuum requires no paper bags.

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.

Post: 215143

Tel: +86-512-66511292

Fax: +86-512-66511298



# WISE MECHANIC

## Technical data for Ash Vacuum MWA302 15L-25L without wheeled base

Model	MWA302 -15L-700W MWA302 -15L-800W	MWA302 -18L-700W MWA302 -18L-800W	MWA302-20L-700W MWA302-20L-800W	MWA302-25L-700W MWA302-25L-800W
Specification of electric ash vacuum	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: $\geq 15$ KPa Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 15L Material: Iron Thickness:0.4mm Power cord length:2.0m	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: $\geq 15$ KPa Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 18L Material: Iron Thickness:0.4mm Power cord length:2.0m	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: $\geq 15$ KPa Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 20L Material: Iron Thickness:0.4mm Power cord length:2.0m	Motor: 700W/800W Mains:100-240V~50/60 Hz Vacuity: $\geq 15$ KPa Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 25L Material: Iron Thickness:0.4mm Power cord length:2.0m
Packing information	1pc/carton Carton size: 317×317×325mm	1pc/carton Carton size: 317×317×367mm	1pc/carton Carton size: 317×317×390mm	1pc/carton Carton size: 317×317×465mm
Container loading quantity	881pcs/20FCL 1812pcs/40FCL 2071pcs/40HQ	806pcs/20FCL 1687pcs/40FCL 1921pcs/40HQ	773pcs/20FCL 1590pcs/40FCL 1807pcs/40HQ	629pcs/20FCL 1294pcs/40FCL 1469pcs/40HQ

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.  
Post: 215143  
Tel: +86-512-66511292  
Fax: +86-512-66511298



# WISE MECHANIC

## Technical data for ash vacuum MWA302 15L-25L with wheeled base

Model	MWA302B -15L-700W MWA302B -15L-800W	MWA302B -18L-700W MWA302B -18L-800W	MWA302B-20L-700 W MWA302B-20L-800 W	MWA302B-25L-700W MWA302B-25L-800W
Specification of electric ash vacuum	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: ≥15KPa Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 15L Material: Iron Thickness:0.4mm Power cord length:2.0m	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: ≥15KPa Suction hose diameter:35mm Suction hose length:1 m Tank volume: 18L Material: Iron Thickness:0.4mm Power cord length:2.0m	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: ≥15KPa Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 20L Material: Iron Thickness:0.4mm Power cord length:2.0m	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: ≥15KPa Suction hose diameter:35mm Suction hose length: 1 m Tank volume: 25L Material: Iron Thickness:0.4mm Power cord length:2.0m
Packing information for handle ash vacuum	1pc/carton Carton size: 320 × 320 × 335mm	1pc/carton Carton size: 320 × 320 × 380mm	1pc/carton Carton size: 320 × 320 × 405mm	1pc/carton Carton size: 320 × 320 × 475mm
Container loading quantity	832pcs/20FCL 1812pcs/40FCL 2057pcs/40HQ	730pcs/20FCL 1590pcs/40FCL 1849pcs/40HQ	712pcs/20FCL 1542pcs/40FCL 1753pcs/40HQ	553pcs/20FCL 1204pcs/40FCL 1372pcs/40HQ

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.  
Post: 215143  
Tel: +86-512-66511292  
Fax: +86-512-66511298