



WISE MECHANIC

Ash Vacuum MWA401 12L-23L



Description

As a power metal electrical ash vacuum, it can be used to remove ashes from charcoal grills, tile or pellet stoves, and coarse dirt such as sand or sawdust and so on. Tank volume of 12L, 15L, 18L, 20L and 23L are for option. You can choose metal pre-filter, dacron-type filter, hepa, stainless steel tank and wheeled base according to your needs.

Features

1. Integrated 700W/800W compact with high suction power.
2. Air control system has high energy efficiency.
3. If the filter system was not put in a right position, our machine will stop automatically.
4. Our container is powder coated with metal and it has quick released clips.
5. Our metal electrical ash vacuum has filling level / filter cleaning indicator
6. Power cord winding.
7. Storage slots for hose and nozzle

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.

Post: 215143

Tel: +86-512-66511292

Fax: +86-512-66511298



WISE MECHANIC

- 8. No separate vacuum necessary
- 9. Requires no paper bags

Technical data of ash vacuum MWA401 12L-23L without wheeled base

Model	MWA401-12L-700W MWA401-12L-800W	MWA401 -15L-700W MWA401 -15L-800W	MWA401 -18L-700W MWA401 -18L-800W	MWA401-20L-700W MWA401-20L-800W	MWA401-23L-700W MWA401-23L-800W
Specificati on of power wet and dry ash vacuum	Motor:700W/800W Mains:100-240V~50/ 60Hz Vacuity: ≥15KPa Suction hose diameter: 30mm Suction hose length: 1 m Tank volume: 12L Material: Iron Thickness: 0.4mm	Motor: 700W/800W Mains:100-240V~50/ 60Hz Vacuity: ≥15KPa Suction hose diameter:30mm Suction hose length: 1 m Tank volume: 15L Material: Iron Thickness:0.4mm	Motor: 700W/800W Mains:100-240V~50/ 60Hz Vacuity: ≥15KPa Suction hose diameter:30mm Suction hose length: 1 m Tank volume: 18L Material: Iron Thickness:0.4mm	Motor: 700W/800W Mains:100-240V~50/ 60Hz Vacuity: ≥15KPa Suction hose diameter:30mm Suction hose length:1 m Tank volume: 20L Material: Iron Thickness:0.4mm	Motor: 700W/800W Mains:100-240V~50/ 60Hz Vacuity: ≥15KPa Suction hose diameter:30mm Suction hose length: 1 m Tank volume: 23L Material: Iron Thickness:0.4mm

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.
 Post: 215143
 Tel: +86-512-66511292
 Fax: +86-512-66511298



WISE MECHANIC

	Power cord length:2.0m	Power cord length:2.0m	Power cord length:2.0m	Power cord length:2.0m	Power cord length:2.0m
Packing information of power wet and dry ash vacuum	1pc/carton Carton size: 282×282×293mm	1pc/carton Carton size: 282×282×352mm	1pc/carton Carton size: 282×282×414mm	1pc/carton Carton size: 282×282×451mm	1pc/carton Carton size: 282×282×507mm
Container loading quantity	1279pcs/20FCL 2687pcs/40FCL 3023pcs/40HQ	1083pcs/20FCL 2267pcs/40FCL 2540pcs/40HQ	903pcs/20FCL 1903pcs/40FCL 2127pcs/40HQ	800pcs/20FCL 1680pcs/40FCL 1888pcs/40HQ	727pcs/20FCL 1495pcs/40FCL 1680pcs/40HQ

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.
 Post: 215143
 Tel: +86-512-66511292
 Fax: +86-512-66511298



WISE MECHANIC

Technical data of ash vacuum MWA401 12L-23L with wheeled base

Model	MWA401B-12L-700 W MWA401B-12L-800 W	MWA401B-15L-700 W MWA401B-15L-800 W	MWA401B-18L-700 W MWA401B-18L-800 W	MWA401B-20L-700 W MWA401B-20L-800 W	MWA401B-23L-700 W MWA401B-23L-800 W
Specification of power wet and dry ash vacuum	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: ≥15KPa Suction hose diameter:30mm Suction hose length: 1m Tank volume: 12L Material: Iron Thickness:0.4mm Power cord length:2.0m	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: ≥15KPa Suction hose diameter30mm Suction hose length: 1m Tank volume: 15L Material: Iron Thickness:0.4mm Power cord length:2.0m	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: ≥15KPa Suction hose diameter:30mm Suction hose length: 1m Tank volume: 18L Material: Iron Thickness:0.4mm Power cord length:2.0m	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: ≥15KPa Suction hose diameter:30mm Suction hose length:1m Tank volume: 20L Material: Iron Thickness:0.4mm Power cord length:2.0m	Motor: 700W/800W Mains:100-240V~50/60Hz Vacuity: ≥15KPa Suction hose diameter:30mm Suction hose length: 1m Tank volume: 23L Material: Iron Thickness:0.4mm Power cord length:2.0m
Packing information	Color box, 1pc/carton Carton size: 292×292×305mm	Color box, 1pc/carton Carton size: 292×292×364mm	Color box, 1pc/carton Carton size: 292×292×430mm	Color box, 1pc/carton Carton size: 292×292×465mm	Color box, 1pc/carton Carton size: 292×292×515mm
Container loading quantity	1064pcs/20FCL 2240pcs/40FCL 2560pcs/40HQ	912pcs/20FCL 1920pcs/40FCL 2240pcs/40HQ	815pcs/20FCL, 1710pcs/40FCL, 1920pcs/40HQ	759pcs/20FCL, 1599pcs/40FCL, 1815pcs/40HQ	695pcs/20FCL 1463pcs/40FCL 1600pcs/40HQ

Add: No. 997, Chunshen Rd., Panyang Industrial Park, Huangdai Town, Xiangcheng District, Suzhou, Jiangsu, P.R. China.

Post: 215143

Tel: +86-512-66511292

Fax: +86-512-66511298